L Number	Hits		DB	Time stamp
-	5548	(load with balanc\$5) and server\$1 and	USPAT;	2004/03/10 15:27
		network\$3	US-PGPUB;	
			EPO; JPO;	
	1726	((load with balanc\$5) and server\$1 and	IBM_TDB USPAT;	2004/03/10 15:28
_	1/20	network\$3) and @ad<19990930	US-PGPUB;	2004/03/10 15:28
		Hetwork\$37 and Gad(13330330	EPO; JPO;	
		ı	IBM TDB	
_	41	(((load with balanc\$5) and server\$1 and	USPAT;	2004/03/08 18:08
		network\$3) and @ad<19990930) and (through	US-PGPUB;	1
		adj put)	EPO; JPO;	
			IBM_TDB	
-	548		USPAT;	2004/03/09 16:24
		network\$3) and @ad<19990930) and ((through	US-PGPUB;	
		adj put) or throughput)	EPO; JPO;	
_	358	((((load with balanc\$5) and server\$1 and	IBM_TDB USPAT;	2004/02/00 10:00
-	330	network\$3) and @ad<19990930) and ((through	US-PGPUB;	2004/03/08 18:09
		adj put) or throughput)) and (packet)	EPO; JPO;	
		adj pat, or enroughpat,, and (pathet)	IBM TDB	
-	187	(((((load with balanc\$5) and server\$1 and	USPAT;	2004/03/08 18:10
		network\$3) and @ad<19990930) and ((through	US-PGPUB;	
		adj put) or throughput)) and (packet)) and	EPO; JPO;	
		session	IBM_TDB	
-	165	,,,,,,===============================	USPAT;	2004/03/08 18:11
		network\$3) and @ad<19990930) and ((through	US-PGPUB;	]
		adj put) or throughput)) and (packet)) and	EPO; JPO;	
	1.65	session) and (respons\$2)	IBM_TDB	
-	165	(((((((load with balanc\$5) and server\$1 and	USPAT;	2004/03/08 18:11
		network\$3) and @ad<19990930) and ((through adj put) or throughput)) and (packet)) and	US-PGPUB; EPO; JPO;	
		session) and (respons\$2)) and time	IBM TDB	
-	14		USPAT;	2004/03/08 18:39
		network\$3) and @ad<19990930) and ((through	US-PGPUB;	2001, 03, 00 20.33
		adj put) or throughput)) and (packet)) and	EPO; JPO;	
		session) and (respons\$2)) and time) and	IBM_TDB	
		(load with balanc\$5).ab.	_	
-	1011	(TAKAHASHI-EIICHI TAKAHASHI-EIICHIRO	USPAT;	2004/03/08 18:42
1		TAKAHASHI-EIJI TAKAHASHI-EIKI	US-PGPUB;	
		TAKAHASHI-EIZI).in.	EPO; JPO;	
_	1125	(YOKOYAMA-KEN YOKOYAMA-KENA-K	IBM_TDB USPAT;	2004/03/08 18:43
	1123	YOKOYAMA-KENA-KIMI YOKOYAMA-KENICHI	US-PGPUB;	2004/03/08 18:43
		YOKOYAMA-KENJI YOKOYAMA-KENJIRO	EPO; JPO;	·
	4	YOKOYAMA-KENZO YOKOYAMA-KENZOU	IBM_TDB	,
		YOKOYAMA-KEN-ICHI).in.	_	
í -	141	(TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI	USPAT;	2004/03/08 18:47
		TAMURA-NAOHIRO).in.	US-PGPUB;	ĺ
			EPO; JPO;	
_	104	(//TAVAUACUI ETTCUI MAVAUACUI DIICUIDO	IBM_TDB	2004/02/02 55 55
-	104	(((TAKAHASHI-EIICHI TAKAHASHI-EIICHIRO TAKAHASHI-EIJI TAKAHASHI-EIKI	USPAT; US-PGPUB;	2004/03/08 18:48
		TAKAHASHI-EIZI).in.) ((YOKOYAMA-KEN	EPO; JPO;	
		YOKOYAMA-KENA-K YOKOYAMA-KENA-KIMI	IBM TDB	
		YOKOYAMA-KENICHI YOKOYAMA-KENJI	15.1_155	
]		YOKOYAMA-KENJIRO YOKOYAMA-KENZO		
		YOKOYAMA-KENZOU YOKOYAMA-KEN-ICHI).in.)		
		((TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI		į l
		TAMURA-NAOHIRO).in.)) and fujitsu.as.		
-	. 2		USPAT;	2004/03/08 18:50
		TAKAHASHI-EIJI TAKAHASHI-EIKI	US-PGPUB;	
		TAKAHASHI-EIZI).in.) ((YOKOYAMA-KEN	EPO; JPO;	
	~	YOKOYAMA-KENA-K YOKOYAMA-KENA-KIMI YOKOYAMA-KENICHI YOKOYAMA-KENJI	IBM_TDB	
		YOKOYAMA-KENJIRO YOKOYAMA-KENZO		
		YOKOYAMA-KENZOU YOKOYAMA-KEN-ICHI).in.)		
,		((TAMURA-NAO TAMURA-NAOKI TAMURA-NAOMI		
		TAMURA-NAOHIRO).in.)) and fujitsu.as.) and		
		(((load with balanc\$5) and server\$1 and		
	_	network\$3) and @ad<19990930)		<u> </u>

-	1730		USPAT;	2004/03/09 16:24
		network\$3) and @ad<19990930)	US-PGPUB; EPO; JPO;	
			IBM TDB	
-	227	((((load with balanc\$5) and server\$1 and	USPAT;	2004/03/09 16:25
		network\$3) and @ad<19990930)) and packet and	US-PGPUB;	2001,00,00
		captur\$4	EPO; JPO;	
			IBM_TDB	
-	209	(((((load with balanc\$5) and server\$1 and	USPAT;	2004/03/09 16:27
		network\$3) and @ad<19990930)) and packet and	US-PGPUB;	
		captur\$4) and log\$4	EPO; JPO;	
_	206	((((((load with balanc\$5) and server\$1 and	<pre>IBM_TDB USPAT;</pre>	2004/03/09 16:38
	200	network\$3) and @ad<19990930)) and packet and	US-PGPUB;	2004/03/03 10.36
		captur\$4) and log\$4) and service	EPO; JPO;	
			IBM TDB	
-	122	((((((load with balanc\$5) and server\$1 and	USPĀT;	2004/03/09 16:28
	ļ	network\$3) and @ad<19990930)) and packet and	US-PGPUB;	
		captur\$4) and log\$4) and (service with	EPO; JPO;	
	0.5	log\$4)   ((((((load with balanc\$5) and server\$1 and	IBM_TDB	0004/00/00 00
-	0.5	network\$3) and @ad<19990930)) and packet and	USPAT;	2004/03/09 16:28
		captur\$4) and log\$4) and (service with	US-PGPUB; EPO; JPO;	
		log\$4)) and (server with log\$4)	IBM TDB	
-	82	(((((((load with balanc\$5) and server\$1 and	USPAT;	2004/03/09 16:29
		network\$3) and @ad<19990930)) and packet and	US-PGPUB;	
[		captur\$4) and log\$4) and (service with	EPO; JPO;	
		log\$4)) and (server with log\$4)) and	IBM_TDB	
	0	<pre>(simulat\$5 or model\$5 or emulat\$5) ((((((((load with balanc\$5) and server\$1</pre>	HCDAM.	2004/02/00 16:20
-	1	and network\$3) and @ad<19990930)) and packet	USPAT; US-PGPUB;	2004/03/09 16:39
		and captur\$4) and log\$4) and (service with	EPO; JPO;	
		log\$4)) and (server with log\$4)) and	IBM TDB	
		(simulat\$5 or model\$5 or emulat\$5)) and	_	
		(service adj log) and (server adj log)		
-	59	, , , , , , , , ,	USPAT;	2004/03/09 16:39
		and network\$3) and @ad<19990930)) and packet and captur\$4) and log\$4) and (service with	US-PGPUB; EPO; JPO;	
		log\$4)) and (server with log\$4)) and	IBM TDB	
		(simulat\$5 or model\$5 or emulat\$5)) and		
		(service with log) and (server with log)		
-	4	(((((((((load with balanc\$5) and server\$1	USPAT;	2004/03/09 16:39
	·	and network\$3) and @ad<19990930)) and packet	US-PGPUB;	
		and captur\$4) and log\$4) and (service with log\$4)) and (server with log\$4)) and	EPO; JPO; IBM_TDB	
j		(simulat\$5 or model\$5 or emulat\$5)) and	10/1_108	
		(service near3 log) and (server near3 log)		
-	5559	(load with balanc\$5) and server\$1 and	USPAT;	2004/03/10 15:48
		network\$3	US-PGPUB;	
			EPO; JPO;	
_	4995	((load with balanc\$5) and server\$1 and	IBM_TDB	2004/02/20 25 55
	4273	network\$3) and server\$1 and network\$3) and server\$1 and	USPAT; US-PGPUB;	2004/03/10 15:39
			EPO; JPO;	
			IBM TDB	
-	6	(((load with balanc\$5) and server\$1 and	USPAT;	2004/03/10 15:30
		network\$3) and service) and ((mean or	US-PGPUB;	
		median) same (session with (length or time	EPO; JPO;	
	ا ۾	or span or duration)))	IBM_TDB	0004/00/00 ====
<sup>-</sup>	2	((((load with balanc\$5) and server\$1 and network\$3) and service) and ((mean or	USPAT;	2004/03/10 15:39
	'	median) same (session with (length or time	US-PGPUB; EPO; JPO;	
		or span or duration)))) and @ad<19990930	IBM TDB	
-	17345	(simulat\$7 or emulat\$5 or model\$5) and	USPAT;	2004/03/10 15:38
		(load) and server\$1 and network\$3	US-PGPUB;	, ,,=-
			EPO; JPO;	
]	14005	//simulands on smulands 3-14st 1	IBM_TDB	0004/00/55 5- 5
-	14237	((simulat\$7 or emulat\$5 or model\$5) and (load) and server\$1 and network\$3) and	USPAT; US-PGPUB;	2004/03/10 15:30
		service	EPO; JPO;	
			IBM TDB	

-	1	((((simulat\$7 or emulat\$5 or model\$5) and (load) and server\$1 and network\$3) and	USPAT; US-PGPUB;	2004/03/10 15:31
		service) and ((mean or median) same (session	EPO; JPO;	
		with (length or time or span or duration))))	IBM TDB	
		and @ad<19990930	-	
-	22	(((simulat\$7 or emulat\$5 or model\$5) and	USPAT;	2004/03/10 15:47
		(load) and server\$1 and network\$3) and service) and ((mean or median) same (session	US-PGPUB; EPO; JPO;	
		with (length or time or span or duration)))	IBM TDB	
-	2814	((simulat\$7 or emulat\$5 or model\$5) same	USPAT;	2004/03/10 16:03
		(load)) and server\$1 and network\$3	US-PGPUB;	
			EPO; JPO; IBM TDB	
_	2262	(((simulat\$7 or emulat\$5 or model\$5) same	USPAT:	2004/03/10 15:39
		(load)) and server\$1 and network\$3) and	US-PGPUB;	
		service	EPO; JPO;	
	877	((((simulat\$7 or emulat\$5 or model\$5) same	IBM_TDB   USPAT;	2004/02/10 15-20
-	8//	((load)) and server\$1 and network\$3) and	US-PGPUB;	2004/03/10 15:39
<b>j</b>		service) and @ad<19990930	EPO; JPO;	
		<b></b>	IBM_TDB	
-	0	( ( ( ( )	USPAT;	2004/03/10 15:48
	!	(load)) and server\$1 and network\$3) and service) and @ad<19990930) and ((mean or	US-PGPUB; EPO; JPO;	
		median) same (session with (length or time	IBM TDB	
		or span or duration)))	_ ==	
-	385	(((((simulat\$7 or emulat\$5 or model\$5) same	USPAT;	2004/03/10 16:01
		(load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with	US-PGPUB; EPO; JPO;	
		(balanc\$5 or optimiz\$5 or allocat\$5 or	IBM_TDB	
		distribut\$5))		
-	192	((((((simulat\$7 or emulat\$5 or model\$5) same	USPAT;	2004/03/10 16:02
		(load)) and server\$1 and network\$3) and service) and @ad<19990930) and (load with	US-PGPUB; EPO; JPO;	
		(balanc\$5 or optimiz\$5 or allocat\$5 or	IBM TDB	
		distribut\$5))) and ((identif\$& or recogni\$5		
		or determin\$5) with service)		
-	130	<pre>(((((((simulat\$7 or emulat\$5 or model\$5) same (load)) and server\$1 and network\$3) and</pre>	USPAT;	2004/03/10 16:04
	'	service) and @ad<19990930) and (load with	US-PGPUB; EPO; JPO;	
		(balanc\$5 or optimiz\$5 or allocat\$5 or	IBM TDB	
		distribut\$5))) and ((identif\$& or recogni\$5	_	
	•	or determin\$5) with service)) and ((simulat\$7 or emulat\$5 or model\$5) same		
		((simulac) or emulac) or model() same (service))		
-	107	(((((((simulat\$7 or emulat\$5 or model\$5)	USPAT;	2004/03/10 16:06
		same (load)) and server\$1 and network\$3) and	US-PGPUB;	
		service) and @ad<19990930) and (load with (balanc\$5 or optimiz\$5 or allocat\$5 or	EPO; JPO; IBM TDB	
		distribut(\$5))) and ((identif(& or recogni(\$5))	184_108	
		or determin\$5) with service)) and		
		((simulat\$7 or emulat\$5 or model\$5) same		
		<pre>(service))) and ((simulat\$7 or emulat\$5 or model\$5) with (service))</pre>		
-	89	((((((((simulat\$7 or emulat\$5 or model\$5)	USPAT;	2004/03/10 16:07
		same (load)) and server\$1 and network\$3) and	US-PGPUB;	, , , , , , , ,
		service) and @ad<19990930) and (load with	EPO; JPO;	
		<pre>(balanc\$5 or optimiz\$5 or allocat\$5 or distribut\$5))) and ((identif\$&amp; or recogni\$5</pre>	IBM_TDB	
		or determin\$5) with service)) and		
		((simulat\$7 or emulat\$5 or model\$5) same		
		(service))) and ((simulat\$7 or emulat\$5 or		
		model\$5) with (service))) and (packet)		

-	36	(((((((((simulat\$7 or emulat\$5 or model\$5)	USPAT;	2004/03/10 16:11
		same (load)) and server\$1 and network\$3) and	US-PGPUB;	
		service) and @ad<19990930) and (load with	EPO; JPO;	
		(balanc\$5 or optimiz\$5 or allocat\$5 or	IBM_TDB	
		distribut\$5))) and ((identif\$& or recogni\$5		
		or determin\$5) with service)) and		
		((simulat\$7 or emulat\$5 or model\$5) same		
		(service))) and ((simulat\$7 or emulat\$5 or		
		model\$5) with (service))) and (packet adj		
		(size or count))		
-	0		USPAT;	2004/03/10 16:10
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
_	0	347111.an.	USPAT:	2004/03/10 16:10
		31722.011.	US-PGPUB;	2004/03/10 10:10
			EPO; JPO;	
			IBM TDB	
	0	///////dimulated or omulates or modeles		2004/02/10 16 10
-	U	((((((((simulat\$7 or emulat\$5 or model\$5)	USPAT;	2004/03/10 16:12
		same (load)) and server\$1 and network\$3) and	US-PGPUB;	
i		service) and @ad<19990930) and (load with	EPO; JPO;	
		(balanc\$5 or optimiz\$5 or allocat\$5 or	IBM_TDB	
1		distribut\$5))) and ((identif\$& or recogni\$5		
		or determin\$5) with service)) and		
		((simulat\$7 or emulat\$5 or model\$5) same		
		(service))) and ((simulat\$7 or emulat\$5 or		
		model\$5) with (service))) and ((packet adj		
		size) and (packet adj count))		